



### List of OQ® and Y-OQ® References (73 Total)

#### Basic Science (33 Total)

Lambert, M.J., Jasper, B. W., & White, J. (2005). Key principles in the assessment of psychotherapy outcome. In G. Koocher, J. Norcross, & S. Hill (eds.). *Psychologists' desk Reference (2<sup>nd</sup> Edition, Pp 236-239)*. New York: Oxford University Press.

Bauer,S., Lambert, M. J.,& Nielsen, S. L. (2004). Clinical significance methods: A comparison of statistical techniques. *Journal of Personality Assessment,82*, 60-70.

Burlingame, G. M., Wells, G. M., Lambert, M. J., & Cox, J. (2004). The Youth Outcome Questionnaire. In Maruish, M. (Ed). The use of psychological tests for treatment planning and outcome assessment (3<sup>rd</sup> ED.). Lawrence Erlbaum.

Gregersen, A. T., Nebeker, R. S., Seely, K. I., & Lambert, M. J. (2004). Social validation of the Outcome Questionnaire: An assessment of Asian and Pacific Islander college students. *Journal of Multicultural Counseling and Development, 33*(2),194-205.

Huag, S., Puschner, B., Lambert, M. J., & Kordy, H. (2004). Veraderungs messung in der psychotherapie mit dem Ergebnis Frage Bogen (EB-45) Assessment of change in psychotherapy with the German version of the Outcome Questionnaire (OQ-45)). *Zeitschrift fur Differentielle und Diagnosische Psychologie, 25*,141-151.

Lambert, M. J., Gregersen, A. T., & Burlingame, G.M. (2004). The Outcome Questionnaire. In Maruish, M. (Ed). The use of psychological tests for treatment planning and outcome assessment (3<sup>rd</sup> ED) (Pp. 191-234). Lawrence Erlbaum.

Lambert, M.J. & Asay, T. A (2004). Clinically significant change. In D. Charman (Ed.). *Core Processes in brief psychodynamic psychotherapy: Advancing effective practice* (Pp. 309-322). Mahwah, NJ: Lawrence Erlbaum.



## **Basic Science Continued (33 Total)**

Nielsen, S. L., Smart, D. W., Isakson, R., Worthen, V., Gregersen, A. T., & Lambert, M. J. (2004). The Consumer Reports effectiveness score: What *did* consumers report? *Journal of Counseling Psychology*, 51, 38-39.

Vermeersch, D. A., Whipple, J. L., Lambert, M. J., Hawkins, E. J., Burchfield, C. M., & Okiishi, J. C. (2004). Outcome Questionnaire: Item sensitivity to changes in counseling center clients. *Journal of Counseling Psychology*, 51, 38-49.

Beckstead, D. J., Hatch, A. L., Lambert, M. J., Eggett, D. L., Goates, M. K., & Vermeersch, D. A. (2003). Clinical significance of the Outcome Questionnaire(OQ-45.2). *The Behavior Analyst Today*, 4, 79-90.

Wolgast, B. M., Lambert, M. J., & Puschner, B. (2003). The dose-response relationship in a college counseling center: Implications for setting session limits. *Journal of College Student Psychotherapy*, 8, 15-29.

Durham, C.J., McGrath L.D., Burlingame, G.M., Schaalje, G.B., Lambert, M.J., & Davies, D.R. (2002). The effects of repeated administrations on self report and parent report scales. *Journal of Psychoeducational Assessment*, 20, 240-257.

Haas, E., Hill R., Lambert, M. J.,& Morrell, B.(2002). Do early responders to psychotherapy maintain treatment gains? *Journal of Clinical Psychology*, 58, 1157-1172.

Hansen, N. B., Lambert, M. J., & Forman, E. M. (2002). The Psychotherapy Dose-Response Effect and Its Implications for Treatment Delivery Services. *Clinical Psychology: Science and Practice*, 9, 329-343.



## Basic Science Continued (33 Total)

Lambert, M. J., Hannover, W., Nisslmuller, K., Richard, M., & Kordy, H. (2002). Fragebogen zum ergebnis von psychotherapie: Zur reliabilitat und validitat der deutschen ubersetzung des Outcome Questionnaire 45.2 (OQ-45.2). *Questionnaire on the results of psychotherapy: Reliability and Validity of the German translation of the Outcome Questionnaire 45.2 (OQ45.2)*. *Zeitschrift fur Klinische Psychologie und Psychotherapie*, 31, 40-47.

Ogles, B. M., Lambert, M. J., & Fields, S. A. (2002). *Essentials of Outcome Assessment*. New York: John Wiley & Sons.

Anderson, E. M., & Lambert, M. J. ( 2001). A survival analysis of clinically significant change in outpatient psychotherapy. *Journal of Clinical Psychology*, 57,875-888.

Burlingame, G. M., Mosier, J. I., Wells, M. G., Atkin, Q. G., Lambert, M. J., Whoolery, M., & Latowsky, M. (2001). Tracking the influence of mental health treatment: The development of the Youth Outcome Questionnaire. *Clinical Psychology and Psychotherapy*, 8, 315-334.

Meredith, J.M., Lambert, M.J.& Drozd, J.F. (2001). Clinical outcomes assessment for the practicing clinician. In M.T. Sammons & N. B. Schmidt (Eds.) *Combined treatments for mental disorders: A guide to psychological and pharmacological interventions* (Pp.271-299). Washington, DC: APA Press.

Lambert, M.J. (2000). Patterns of patient improvement: Implications of research for treatment planning and responsible social policy. In M. Siwiak-Kobayashi, S. Leder, C. Czabala, & T. Sakuta ( Eds.) *Seventeenth World Congress of Psychotherapy: Psychotherapy at the Turn of the Century( Proceedings)*. Warsaw Poland: Polish Psychiatric Association, International Federation for Psychotherapy.



## Basic Science Continued (33 Total)

Vermeersch, D.A., Lambert, M.J., & Burlingame, G.M. (2000). Outcome Questionnaire: Item sensitivity to change. *Journal of Personality Assessment*, 74(2), 242-261.

Lambert, M. J., & Finch, A. E. (1999). The Outcome Questionnaire. In M. E. Maruish (ed.). *The use of psychological testing for treatment planning and outcome assessment* (2<sup>nd</sup> ed.). Mahwah, NJ: Lawrence Erlbaum.

Wells, M.G., Burlingame, G.M. & Lambert, M.J. (1999). Youth Outcome Questionnaire. In M.E. Maruish (ed.). *The use of psychological testing for treatment planning and outcome assessment* (2<sup>nd</sup> ed.). Mahwah, NJ: Lawrence Erlbaum.

Lunnen, C., & Ogles, B. M. (1998). A multi-perspective, multi-variable evaluation of reliable change. *Journal of Consulting and Clinical Psychology*, 66, 400-410.

Mueller, R., Lambert, M.J., & Burlingame, G. (1998). The Outcome Questionnaire: A confirmatory factor analysis. *Journal of Personality Assessment*, 70, 248-262.

Umphress, V. J., Lambert, M. J., Smart, D. W., Barlow, S. H., & Clouse, G. (1997). Concurrent and construct validity of the Outcome Questionnaire. *Journal of Psychoeducational Assessment*, 15, 40-55.

Kadera, S.W., Lambert, M.J., Andrews, A.A. (1996). A session-by-session analysis of the psychotherapy dose-effect relationship. *Journal of Psychotherapy Practice and Research*, 5, 132-151

Lambert, M. J. & Huefner, J. C. (1996). Measuring clinically significant improvement in the EAP environment. *EAPA Exchange*, 6, 22-23.



## **Basic Science Continued (33 Total)**

Lambert, M. J. (1996). Aiming at the moving target: How much outpatient therapy is enough? *Behavioral Healthcare Tomorrow*, 5, 45-58.

Lambert, M. J., & Brown, J. (1996). Data-based management for tracking outcome in private practice. *Clinical Psychology: Science and Practice*, 3, 172-178.

Lambert, M.J., Burlingame, G.M., Umphress, V., Hansen, N.B., Yancher, S.C., Vermeersch, D., & Clouse, G.C. (1996). The reliability and validity of a new psychotherapy outcome questionnaire. *Clinical Psychology and Psychotherapy*, 3 (4), 249-258.

Wells, M. G., Burlingame, G., Lambert, M. J., Hoag, M., & Hope, C. (1996). Conceptualization and measurement of patient change during psychotherapy: Development of the Outcome Questionnaire and Youth Outcome Questionnaire. *Psychotherapy: Theory, Research, & Practice*, 33(2), 275-283.

Nebeker, R.S., Lambert, M. J., Huefner, J. C. (1995). Ethnic differences on the Outcome Questionnaire. *Psychological Reports*, 77, 875-879.

## **Improving Outcomes (16 Total)**

Harmon, C., Hawkins, E. J., Lambert, M. J., Slade, K., & Whipple, J. S. (2005). Improving outcomes for poorly responding clients: The use of Clinical Support Tools and feedback to clients. *In Session: A Journal of Clinical Psychology*, 61(2), 175-185.

Lambert, M. J. (2005). Emerging methods for providing clinicians with timely feedback on effective treatment: An introduction.: *Journal of Clinical Psychology: In Session*, 61(2), 141-144.



## Improving Outcomes Continued (16 Total)

Lambert, M. J., Harmon, C., Slade, K., Whipple, J. L., & Hawkins, E. J. (2005). Providing feedback to psychotherapists on their patients' progress: Clinical results and practice suggestions. *Journal of Clinical Psychology: In Session*, 61(2), 165-174.

Lambert, M. J. (2005). Enhancing psychotherapy through feedback to clinicians. *The Register Report: National Health Service Providers in Psychology*, 31(2), 15-19.

Lambert, M. J., Hawkins, E. J., Vermeersch, D. A., & Whipple. (2005). Die auswirkungen eines ruckmeldesystems zur erfassung des therapiefortschritts von klienten: Ein überblick über vier studien im rahmen der regelversorgung (The effects of providing feedback on patient treatment progress: A summary of four studies conducted within routine care). In J. Kosfelder, J. Michalak, S. Vocks, & U. Willutzki (Eds.). *Fortschritte der psychotherapieforchung (Advances in psychotherapy research)*. Gottingen:Hogrefe.

Lambert, M. J., Vermeersch, D. A., & Chesley, G. G. (2005). The use of interventions aimed at improving social supports in patients identified as at risk for treatment failure. In A. Laireiter (Ed.) Social support in psychotherapy.

Hawkins, E. J., Lambert, M. J., Vermeersch, D. A., Slade, K., & Tuttle, K. (2004). The therapeutic effects of providing client progress information to patients and therapists. *Psychotherapy Research*, 10, 308-327.

Lambert, M. J., Hawkins, E. J., Vermeersch, D. A., Whipple, J. L., Harmon, C., & Slade, K. (2005). Wozu furtruckmelder urbe den behandlungsstand von patientInnen: Ein überblick über vier studien im rahmen der regelversorgung (The effects of providing feedback on patient treatment progress: A summary of four studies conducted within routine care). In J. Kosfelder, J. Michalak, S. Vocks, & U. Willutzki (Eds.). *Fortschritte der psychotherapieforchung (Advances in psychotherapy research)*. Gottingen:Hogrefe



### **Improving Outcomes Continued (16 Total)**

Lambert, M. J., Whipple, J. L., Hawkins, E. J., Vermeersch, D. A., Nielsen, S. L., & Smart, D.W. ( 2003). Is it time for clinicians to routinely track patient outcome?: A meta-analysis. *Clinical Psychology: Science & Practice*, 10, 288-301.

Whipple, J. L., Lambert, M. J., Vermeersch, D. A., Smart, D. W., Nielsen, S. L., & Hawkins, E. J. (2003). Improving the Effects of Psychotherapy: The use of early identification of treatment failure and problem solving strategies in routine practice. *Journal of Counseling Psychology*, 50, 59-68.

Lambert, M. J., Whipple, J.L., Vermeersch, D. A., Smart, D. W., Hawkins, E. J., Nielsen, S. L., & Goates, M. ( 2002). Enhancing psychotherapy outcomes via providing feedback on client treatment response: A replication. *Clinical Psychology and Psychotherapy*, 9, 91-103.

Brown, G.S., Burlingame, G.M., Lambert, M. J., Jones, E., & Vaccaro, J. (2001). Pushing the quality envelope: A new outcomes management system. *Psychiatric Services*, 52, 925-934.

Lambert, M. J., & Hawkins, E. J. (2001). Using information about patient progress in supervision: Are outcomes enhanced? *Australian Psychologist*, 36, 131-138.

Lambert, M. J., Hansen, N.B., & Finch, A.E. (2001). Patient-focused research: Using patient outcome data to enhance treatment effects. *Journal of Consulting and Clinical Psychology*, 69, 159-172.

Lambert, M. J., Whipple, J. L., Smart, D. W., Vermeersch, D. A., Nielsen, S. L.,& Hawkins, E. J.(2001). The effects of providing therapists with feedback on patient progress during psychotherapy: Are outcomes enhanced? *Psychotherapy Research*, 11(1), 49-68.



## **Improving Outcomes Continued (16 Total)**

Lambert, M.J. & Johnson, L.D. (2000). Patient-focused feedback to clinicians: Enhancing treatment effects. *Outcomes and Accountability*, 5(1), 1, 9-11.

## **Alarm Identification and Prediction (12 Total)**

Bishop, M., Bybee, T. Lambert, M. J., Burlingame, G. M., Wells, G. M. & Poppleton, L. (2005). Accuracy of a rationally derived method for identifying treatment failure in children and adolescents. *Journal of Child and Family Studies*, 14, 207-222.

Cattani-Thompson, K. Lambert, M.J., & Boroto, D. (submitted). Symptomatic versus personality change in brief psychotherapy: The phase model of psychotherapy.

Hannan, C., Lambert, M. J., Harmon, C., Nielsen, S. L., Smart, D. M., Shimokawa, K., & Sutton, S. W. (2005). A lab test and algorithms for identifying patients at risk for treatment failure. *Journal of Clinical Psychology: In Session*, 61(2), 155-163.

Bishop, M., Bybee, T. Lambert, M. J., Burlingame, G. M., & Wells, G. M. (2005). Accuracy of a rationally derived method for identifying treatment failure in children and adolescents. *Journal of Child and Family Studies*, 14, 207-222. AP

Percevic, R., Lambert, M.J., & Kordy, H. (2004). Computer assisted monitoring of psychotherapy outcome. *Journal of Clinical Psychology*, 60(3).

Wong, B., Krisjanson, S., Kircher, J. C., & Lambert, M. J. (submitted). Time series analysis of psychological effects following the September 11th attacks.

Hansen, N. B. & Lambert, M. J. (2003). An evaluation of the dose-response relationship in naturalistic treatment settings using survival analysis. *Mental Health Services Research*, 5(1), 1-12.



### **Alarm Identification and Prediction Continued (12 Total)**

Hansen, N. B., Lambert, M. J., & Forman, E. M. (2003). The psychotherapy dose-effect in naturalistic settings revisited: Response to Gray. *Clinical Psychology: Science and Practice*, 10, 507-508.

Lambert, M. J., Whipple, J. L., Bishop, M. J., Vermeersch, D. A., Gray, G.V., & Finch, A. E. (2002). Comparison of Empirically-Derived and Rationally-Derived Methods for Identifying Patients at Risk for Treatment Failure. *Clinical Psychology and Psychotherapy*, 9, 149-164.

Finch, A. E., Lambert, M. J., & Schaalje, B. G. (2001). Psychotherapy quality control: The statistical generation of expected recovery curves for integration into an early warning system. *Clinical Psychology and Psychotherapy*, 8, 231-242.

Lambert, M. J. (2001). Psychotherapy outcome and quality improvement: Introduction to the special section on patient-focused research. *Journal of Consulting and Clinical Psychology*, 69, 147-149.

Snell, M.N., Mallenckrodt, B., Hill, R.D., & Lambert, M.J. (2001). Predicting counseling center clients' response to counseling: A one-year follow-up. *Journal of Counseling Psychology*, 48, 463-47.

### **General Issues (9 Total)**

Lambert, M. J., & Hawkins, E.J. (2004). Measuring outcome: Implementing, monitoring and evaluating outcome in clinical practice. *Professional Psychology: Research and Practice*, 35, 492-498.

Lambert, M. J. (2005). Early response in psychotherapy: Further evidence for the importance of common factors rather than "placebo effects" *Journal of Clinical Psychology*, 61, 855-869.



## General Issues Continued (9 Total)

Lambert, M. J., & Vermeersch, D. A. (2005). Efficacy and effectiveness. In M. Hersen (Ed.) *Encyclopedia of behavior modification and therapy: Vol. I* Thousand Oaks: Sage Publications.

Lambert, M. J. & Hawkins, E.J. (2004). Measuring Psychotherapy Outcome. In Maruish, M. (Ed.). *The use of psychological tests for treatment planning and outcome assessment (3<sup>rd</sup> ed.)*, Pp. 171-195). Lawrence Erlbaum.

Lambert, M. J., Hunt, R. D., & Vermeersch, D. A. (2004). Optimizing outcome through measurement of psychological functioning. In D. Charman (Ed.). *Core Processes in brief psychodynamic psychotherapy: Advancing effective practice* (Pp. 23-46). Mahwah, NJ: Lawrence Erlbaum.

Lambert, M. J., & Hawkins, E. J. (2001). Effectiveness of psychological treatment. *International Encyclopedia of Social and Behavioral Sciences*, 18, 12372-12377. Pergamon, Oxford.

Lambert, M. J., Reisinger, C. W., & Huefner, J. C. (2000). Quality improvement: Current research in outcome management. In G. Stricker, W. Troy, & S. Shueman (Eds.). *Handbook of Quality Management in Behavior Health*. New York: Plenum Press.

Lambert, M.J., Okiishi, J.C., Finch, A.E., & Johnson, L.D. (1998). Outcome assessment: From conceptualization to implementation. *Professional Psychology: Research and Practice*, 29, 63-70.

Burlingame, G.M., Lambert, M. J., Reisinger, C. W., Neff, W.L., & Mosier, J. (1995). Pragmatics of tracking mental health outcomes in a managed care setting. *The Journal of Mental Health Administration*, 22, 226-236.



### **Therapist Effectiveness (3 Total)**

Brown, G. S., Lambert, M. J., Jones, E. R., & Minami, T. (in press). Identifying highly effective therapists in a managed care environment.

Okiishi J., Lambert, M.J., Nielsen, S. L.,& Ogles, B.M. (2003). In search of supershink: Using patient outcome to identify effective and ineffective therapists. *Clinical Psychology and Psychotherapy*, 10, 361-373.

Asay, T. P., Lambert, M. J., Gregersen, A. T., & Goates, M. K., (2002). Using patient-focused research in evaluating treatment outcome in private practice. *Journal of Clinical Psychology*, 58, 1199-1225.

### **Manuals**

Burlingame, G.M., Wells, M.G., Lambert, M.J., Cox, J., Latkowski, M., & Justice, D. (2005) *Administration and scoring manual for the Youth Outcome Questionnaire (Y-OQ.2.2)*. Salt Lake City, UT: American Professional Credentialing Services.

Lambert, M.J., Morton, J.J., Hatfield, D. Harmon, C., Hamilton, S., Reid, R.C., Shimokawa, K., Christopherson, C., & Burlingame, G. B. (2004). Administration and Scoring Manual for the OQ-45. Orem, UT: American Professional Credentialing Services.